

**Locks & File Frame for wood furniture & cabinets**



# Welcome to CompX Timberline



## What are we all about?

- **Locks for Wood Furniture and Cabinets**

We can lock desks, credenzas, files, store fixtures, lockers, and cabinets of all types.

- **File Frame System for Hanging Files**

Completely engineered, attractive system which maximizes filing capabilities.

- **StealthLock®**

The 1st Keyless, Invisible Cabinet Locking System

- **Made in the USA**

Manufactured and assembled in Grayslake, IL.

- **High Quality & Great Service**

All locks are made from the finest materials ... Our customer service is the best!

- **Next Day Shipment**

Most items ship within one business day.




Want Samples?  
Need Help?  
Don't See What You Need?

**Call Us Today**  
**1-800-LOCKBAR**  
**or Email Us at**  
*timberlineorders@compX.com*




# LOCKING SYSTEMS FOR WOOD FURNITURE



**Front Gang Lock**  
.....Page 6




**Side Gang Locks & Central Locks**  
.....Page 10




**Gang Lock Components and Custom Lockbar**  
.....Page 12



**Lateral File Locks and Anti-Tip Systems**  
.....Page 14



**Deadbolt Locks, Cam Locks and Double Door Latch**  
.....Page 19



**Glass Door Locks, Accessories and Strike Plates**  
.....Page 27



**StealthLock®**  
.....Page 30



**File Frame System**  
.....Page 33

## Lock Finishes:



Polished Nickel  
LP-100



Old English  
LP-200



Black  
LP-300



Statuary Bronze  
LP-400



Polished Brass  
LP-500



Satin Nickel  
LP-700



White  
LP-800

## Lock Features:

- Small Diameter
- High Quality/Long Life
- 5 Disk Tumbler Lock Plug
- Solid Brass Keys
- Numbered on Face & Keys
- Over 500 Changes
- Master-Keyed
- Removable Lock Plug



# TIMBERLINE REMOVABLE LOCK PLUG SYSTEM

## Complete Keying Versatility


- In Plant...furniture can be keyed easily to the customer's requirements at any time.
- In Field...key numbers can be readily changed by your customer.

## Ease of Finishing

- Furniture may be finished without lock plug installed, eliminating need for masking.

## Simplified Inventory Management

- One stock of lock plugs fulfills all locking requirements.




## Lock Plug + Cylinder Body = Assembled Lock



A change tool (P/N KY-500) is required to remove plugs. A firm clockwise turn removes the plug.

**WHEN ASSEMBLED, MOST TIMBERLINE LOCKS ARE DESIGNED FOR MOUNTING IN 3/4" OR 1" PANELS ... CHECK PRODUCT REQUIRED FOR APPLICATION OPTIONS**





# ADJUSTABLE PIN INSTALLATION

LR-100 Lockbar Retainer holds the lockbar in its groove when drawer slides alone are not sufficient.



AP-037 3/8" Adjustable Pins may be installed or moved easily with a 1/4" hex tool to any position along the length of the lockbar.

See page 12 for additional Adjustable Pin lengths.



## DRAWER LOCKING

DC-500 Drawer Locking Clips provide the preferred method of locking drawers with 1/2" drawer side clearance. When used with the AP-037 3/8" Adjustable Pin, a strong, rigid lock is provided. See page 12 for Drawer Clips designed for 3/4" or 7/8" drawer side clearance and for undermount slides.




# SYSTEM 101

FRONT MOUNTED GANG LOCK FOR MULTIPLE DRAWERS



- LOCK MOUNTED IN DRAWER FRONT
- MINIMIZES INTERFERENCE WITH HANGING FILES



- FULL 1/2" LOCKBAR THROW
- FITS WITHIN 1/2" DRAWER SLIDE CLEARANCE
- MINIMAL MACHINING REQUIRED:
  - HOLE FOR LOCK
  - GROOVE FOR LOCKBAR
- SEE PAGE 12 WHEN USING SLIDES OTHER THAN 1/2"



### TYPICAL INSTALLATION DETAILS



### LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White

CB-101  
3/4" MATERIAL

CB-101-1  
1" MATERIAL



LC-106  
TYPE 106  
LOCKBAR CLIP

LB-240  
LOCKBAR  
24" STANDARD  
OR CUT TO SIZE



AP-037 3/8"  
ADJUSTABLE PIN



LR-100  
LOCKBAR RETAINER




DC-500 DRAWER LOCKING CLIP



# SYSTEM 100




- LOCK MOUNTED IN FIXED RAIL




CB-100  
3/4" MATERIAL

CB-100-1  
1" MATERIAL



LC-100  
TYPE 100  
LOCKBAR CLIP


TYPICAL INSTALLATION DETAILS



# SYSTEM 104




- LOCKBAR LOCATED FURTHER BACK IN CASE  
- FOR USE WITH 32MM CABINET CONSTRUCTION




CB-101  
3/4" MATERIAL

CB-101-1  
1" MATERIAL




EXTENDED  
LOCKBAR CLIP  
LC-104 (RIGHT HAND)  
LC-114 (LEFT HAND)

TYPICAL INSTALLATION DETAILS




# SYSTEM 120

SINGLE SIDED



Assure-Sync feature keeps the lock and actuator position synchronized. Low profile pin cam keeps lock from interfering with the drawer box.






Reference dimensions for lock hole with full overlay drawer and 3/4" end panel.




# SYSTEM 120

DOUBLE SIDED



Reference dimensions for end panel with full overlay drawer. Lockbar location is the same for the AC-120 & AC-125 actuators.




Lock arm adjusts vertically +/- 3/16" for ease of alignment. Lock arm adjusts with 5/32" hex wrench. Low profile actuator fits within 1/2" drawer suspension.



# SYSTEM 270

SIDE MOUNTED GANG LOCK FOR TWO DRAWERS



DC-500  
DRAWER  
LOCKING  
CLIP




CB-270  
3/4" MATERIAL


CB-270-1  
1" MATERIAL



### TYPICAL INSTALLATION DETAILS



- FULL 1/2" THROW
- FITS WITHIN 1/2" DRAWER SLIDE CLEARANCE
- LOCK HOLE ONLY MACHINING REQUIRED




### LOCK PLUGS


- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White

# SYSTEM 150

SIDE MOUNTED GANG LOCK FOR MULTIPLE DRAWERS



DC-500  
DRAWER  
LOCKING  
CLIP



LC-150  
TYPE 150  
LOCKBAR CLIP

CB-150  
3/4" MATERIAL


CB-150-1  
1" MATERIAL

LB-240  
LOCKBAR  
24" STANDARD  
OR CUT TO  
SIZE


AP-037 3/8"  
ADJUSTABLE  
PIN



LR-100  
LOCKBAR RETAINER



### TYPICAL INSTALLATION DETAILS



- FULL 1/2" LOCKBAR THROW
- FITS WITHIN 1/2" DRAWER SLIDE CLEARANCE
- MINIMAL MACHINING REQUIRED:
  - HOLE FOR LOCK
  - GROOVE FOR LOCKBAR
- SEE PAGE 12 IF USING SLIDES OTHER THAN 1/2"



# CENTRAL LOCKING SYSTEM 500




A COMPLETE SYSTEM FOR CENTRAL LOCKING BOTH DESKS AND CREDENZAS.

Components are available for single sided units and credenzas with double doors.



Special cylinder bodies and flexible shafts available for single sided desks and double door credenzas.




## LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White



- CB-550  
3/4" MATERIAL
- CB-550-1  
1" MATERIAL



FS-362  
FLEXIBLE SHAFT  
(LENGTH MUST BE SPECIFIED...  
TYPICALLY X"-1/4")



DC-500 DRAWER  
LOCKING CLIP



SC-100  
SHAFT  
CLIP



AP-037 3/8"  
ADJUSTABLE PIN



LB-240  
LOCKBAR  
24" STANDARD  
OR CUT TO SIZE



SP-250  
STRIKE  
PLATE




LR-100  
LOCKBAR  
RETAINER



AC-500  
ACTUATOR


## TYPICAL INSTALLATION




UP TO FOUR PEDESTALS AND A CENTER DRAWER CAN BE LOCKED USING ONE LOCK MOUNTED ON A FRONT EXPOSED RAIL



# ADJUSTABLE PINS



# DRAWER CLIPS



# CUSTOM LOCKBARS

- Manufactured using any CompX Timberline Lockbar Clip, Adjustable Pin or Fixed Pin
- Reduces labor and scrap costs
- Assures Lockbar Clips and locking pins are properly installed
- Custom Lockbar can be manufactured in lengths 11.000" – 60.000"

LOCKBAR ASSEMBLIES CAN INCLUDE BUT ARE NOT LIMITED TO:


To order Custom Lockbar:

- Requires customer supplied print detailing location of each locking pin or lockbar clip
- 50 piece minimum order quantity



# COMPX REGULATOR FOR GANG LOCKING


- Allows keyless control of gang lock SYS-100, 101 and 104
- See page B140 at [comp.com/sheets/timberline\\_app/B-140.pdf](http://comp.com/sheets/timberline_app/B-140.pdf) for further information




## LOCKBAR CLIPS

For more information and installation specifications for Lockbar Clips, visit <http://comp.com/instructions.html> and view the CompX Timberline Application Drawings B-100 – C-115


### FRONT MOUNT – STANDARD CASE CONSTRUCTION:




LC-100  
1-1/4" LEG LENGTH




LC-105  
1-1/4" & 7/8"  
LEG LENGTH



LC-106  
1/2" LEG LENGTH



LC-107  
5/8" LEG LENGTH




LC-109  
3/4" LEG LENGTH




LC-102  
REVERSE  
MOUNT CLIP

### FRONT MOUNT – 32MM CASE CONSTRUCTION:

#### LEFT HAND MOUNT:




LC-114  
1" LEG LENGTH




LC-214  
5/8" LEG LENGTH


#### RIGHT HAND MOUNT:



LC-103  
1-1/4" & 11/16"  
LEG LENGTH




LC-104  
1" LEG LENGTH



LC-204  
5/8" LEG LENGTH

### SIDE MOUNT:




LC-150  
FOR 3/4" - 1" PANELS



LC-152  
FOR 1-1/8" - 2-1/8"  
PANELS  
MUST BE USED WITH  
CB-110



CB-110  
CYINDER BODY




LC-101  
FOR 2-1/8" - 3-1/4"  
PANELS  
MUST BE USED WITH  
CB-110




# ANTI-TIP INTERLOCK SYSTEM 400

2-DRAWER LATERAL (NO LOCK)



WHEN EITHER DRAWER IS PULLED OPEN, THE DRAWER CLIP ON THAT DRAWER MOVES THE SNAPPER INTO A LOCKED POSITION... THEREBY PREVENTING ANY FURTHER DRAWERS FROM BEING OPENED

## TYPICAL INSTALLATION DETAILS



- PREVENTS MORE THAN ONE DRAWER FROM BEING OPENED AT A TIME
- MEETS BIFMA STANDARDS FOR STRENGTH AND DURABILITY
- ALL COMPONENTS ARE SURFACE MOUNTED
- WIDE TOLERANCE ACCOMMODATION
- EASY TO MOUNT AND LOW COST
- 1/2" DRAWER SLIDE CLEARANCE REQUIRED



SN-400  
ANTI-TIP SNAPPER




DC-400  
DRAWER CLIP



# ANTI-TIP INTERLOCK SYSTEM 400


3 OR 4-DRAWER LATERAL (NO LOCK)




## DC-410 NARROW DRAWER CLIP

FOR USE WHEN LESS SPACE IS ALLOWABLE BETWEEN DRAWER SLIDES


DC-410  
NARROW  
DRAWER CLIP



TYPICAL INSTALLATION DETAILS



## LINKAGE COMPONENTS




SN-410  
LINKAGE ARM

LOCKBAR  
FIXED PIN  
(SEE DRAWING  
FOR SIZING  
INSTRUCTIONS)




# ANTI-TIP INTERLOCK SYSTEM 350

(NO LOCK)



SN-300  
SNAPPER  
(STIFF ACTION)



LB-240  
LOCKBAR  
24" STANDARD  
OR CUT TO SIZE



AP-037 3/8"  
ADJUSTABLE PIN




LR-100  
LOCKBAR RETAINER

WD-21A  
ANTI-TIP  
WEDGE TYPE A



WD-21B  
ANTI-TIP  
WEDGE TYPE B





WEDGE LOCK MUST  
BE USED DURING  
PRODUCT SHIPMENT  
TO HOLD LOCKBAR IN  
PROPER POSITION



WD-100  
WEDGE LOCK




# ANTI-TIP INTERLOCK FUNCTION



WHEN ANY DRAWER IS PULLED OPEN, THE WEDGES ON THAT DRAWER MOVE THE LOCKBAR INTO A LOCKED POSITION... THEREBY PREVENTING ANY FURTHER DRAWERS FROM BEING OPENED

## PROPER WEDGE CONFIGURATION




WHEN WEDGES ARE INSTALLED IN THE PROPER POSITIONS AS SHOWN ABOVE, ONLY ONE DRAWER MAY EVER BE OPEN AT ANY ONE TIME... EVEN IF TWO DRAWERS ARE PULLED AT EXACTLY THE SAME TIME!

## TL-200 WEDGE/PIN MARKING TOOL

REQUIRED FOR PROPER INSTALLATION




ACCURATELY MARKS PIN POSITION FOR PROPER WEDGE ACTION





# LATERAL FILE LOCK/INTERLOCK SYSTEM 300

LOCKS WIDE  
DRAWERS ON  
BOTH SIDES AND  
PROVIDES ANTI-  
TIP INTERLOCK



## LATERAL FILE

- MOUNTS IN 1" EXPOSED RAIL
- ANTI-TIP INTERLOCK HELPS PREVENT ACCIDENTAL TIPPING OF FILE UNIT
- SEE PROPER WEDGE CONFIGURATION ON PAGE 14




### LOCK PLUGS


- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White



- CB-500  
3/4" MATERIAL
- CB-500-1  
1" MATERIAL



FS-362  
FLEXIBLE SHAFT  
(LENGTH MUST BE  
SPECIFIED...  
TYPICALLY X"-5/8")



LB-240  
LOCKBAR  
24" STANDARD  
OR CUT TO SIZE



SC-100  
SHAFT  
CLIP

LR-100  
LOCKBAR  
RETAINER

WD-21A  
ANTI-TIP  
WEDGE TYPE A



AP-037 3/8"  
ADJUSTABLE PIN

WD-21B  
ANTI-TIP  
WEDGE TYPE B




AC-200  
ACTUATOR








# DOUBLE DOOR LOCK TYPE 250

- REQUIRES 16.5 MM DIAMETER HOLE
- MOUNTS IN 3/4" MATERIAL



- ALL LOCKS SHOWN IN LOCKED POSITION

<p>CB-250 TYPE 250 DOUBLE DOOR LOCK</p> 	<p>CB-251 TYPE 251 DOUBLE DOOR LOCK WITH 11/16" OFFSET</p> 
	
<p><b>LOCK PLUGS</b></p> <ul style="list-style-type: none"> <li>LP-100 Nickel</li> <li>LP-200 Old English</li> <li>LP-300 Black</li> <li>LP-400 Statuary Bronze</li> <li>LP-500 Brass</li> <li>LP-700 Satin Nickel</li> <li>LP-800 White</li> </ul> 	
<p>CB-255 TYPE 255 OPPOSITE MOUNT DOUBLE DOOR LOCK</p> 	<p>CB-256 TYPE 256 OPPOSITE MOUNT DOUBLE DOOR LOCK WITH 11/16" OFFSET</p> 




# DEADBOLT LOCKS HORIZONTAL MOUNT


- TWO STYLES AVAILABLE
- REQUIRES 16.5 MM DIAMETER HOLE
- ATTRACTIVE TOUGH NYLON HOUSING
- MOUNTS IN 3/4" OR 1" MATERIAL




CB-230  
3/4" MATERIAL  
CB-230-1  
1" MATERIAL




CB-231  
3/4" MATERIAL  
CB-231-1  
1" MATERIAL





SP-250  
STRIKE  
PLATE  
CB-232  
3/4" MATERIAL  
CB-232-1  
1" MATERIAL



CB-234  
3/4" MATERIAL  
CB-234-1  
1" MATERIAL




CB-235  
3/4" MATERIAL  
CB-235-1  
1" MATERIAL





## LOCK PLUGS



- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White



CB-280  
3/4" MATERIAL  
CB-280-1  
1" MATERIAL




CB-281  
3/4" MATERIAL  
CB-281-1  
1" MATERIAL




# DEADBOLT LOCKS VERTICAL MOUNT


- TWO STYLES AVAILABLE
- REQUIRES 16.5 MM DIAMETER HOLE
- ATTRACTIVE TOUGH NYLON HOUSING
- MOUNTS IN 3/4" OR 1" MATERIAL



CB-240  
3/4" MATERIAL  
CB-240-1  
1" MATERIAL





CB-241  
3/4" MATERIAL  
CB-241-1  
1" MATERIAL





CB-242  
3/4" MATERIAL  
CB-242-1  
1" MATERIAL


SP-250  
STRIKE  
PLATE





CB-244  
3/4" MATERIAL  
CB-244-1  
1" MATERIAL





CB-245  
3/4" MATERIAL  
CB-245-1  
1" MATERIAL



CB-290  
3/4" MATERIAL  
CB-290-1  
1" MATERIAL



CB-291  
3/4" MATERIAL  
CB-291-1  
1" MATERIAL




## LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White



# CAM LOCK CYLINDER BODY


- 90° ROTATION
- REQUIRES 16.5 MM DIAMETER HOLE
- MOUNTS IN 3/4" MATERIAL




90° ROTATION

## HORIZONTAL MOUNT



CB-080





CB-083




CB-084




CB-087





CB-085



CB-088




CB-089




## VERTICAL MOUNT


CB-090




CB-093



CB-094




CB-097




CB-095



CB-098



CB-099





**NOTE:  
CAM LOCKS  
MUST BE  
INSTALLED SO  
THAT THEY  
LOCK IN THE  
COUNTER-  
CLOCKWISE  
POSITION!**




## LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White



# CAM LOCK CYLINDER BODY


- 180° ROTATION
- REQUIRES 16.5 MM DIAMETER HOLE
- MOUNTS IN 3/4" OR 1" MATERIAL



## HORIZONTAL MOUNT



CB-180  
3/4" MATERIAL  
CB-180-1  
1" MATERIAL





## VERTICAL MOUNT




CB-190  
3/4" MATERIAL  
CB-190-1  
1" MATERIAL





CB-183  
3/4" MATERIAL  
CB-183-1  
1" MATERIAL



CB-193  
3/4" MATERIAL  
CB-193-1  
1" MATERIAL





CB-184  
3/4" MATERIAL  
CB-184-1  
1" MATERIAL



CB-194  
3/4" MATERIAL  
CB-194-1  
1" MATERIAL




CB-187  
3/4" MATERIAL  
CB-187-1  
1" MATERIAL



CB-197  
3/4" MATERIAL  
CB-197-1  
1" MATERIAL





CB-185  
3/4" MATERIAL  
CB-185-1  
1" MATERIAL



CB-195  
3/4" MATERIAL  
CB-195-1  
1" MATERIAL





CB-188  
3/4" MATERIAL  
CB-188-1  
1" MATERIAL



CB-198  
3/4" MATERIAL  
CB-198-1  
1" MATERIAL



CB-189  
3/4" MATERIAL  
CB-189-1  
1" MATERIAL




CB-199  
3/4" MATERIAL  
CB-199-1  
1" MATERIAL

**NOTE:  
CAM LOCKS  
MUST BE  
INSTALLED SO  
THAT THEY  
LOCK IN THE  
COUNTER-  
CLOCKWISE  
POSITION!**




## LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White



# CAM LOCK KITS CB-165, CB-168, CB-169



**Application** - Universal lock for either doors or drawers. Each kit contains a variety of easily switched cams to accommodate most locking situations.

**Operation** - 90° or 180° cam rotation. Counter clockwise to lock.

**Keying** - Order lock plug separately.

**Packaging** - Cylinder supplied with two straight and two bent cams. Bent cams have setback of 15/32". Cam plates are zinc plated.

These Kits will Replace the Following Timberline Cam Locks:

CB-165 90° Rotation			CB-168 180° Rotation (Horizontal)		CB-169 180° Rotation (Vertical)	
CB-080	CB-083	CB-084	CB-180	CB-183	CB-190	CB-193
CB-085	CB-087	CB-088	CB-184	CB-185	CB-194	CB-195
CB-090	CB-093	CB-094	CB-187	CB-188	CB-197	CB-198
CB-095	CB-097	CB-098				

## THREADED BARREL CAM LOCK KIT

CB-141 – Nickel Plated Cylinder  
CB-143 – Black Plated Cylinder (shown)


**Application** – Universal type lock for either doors or drawers. Kit will accommodate most locking applications for material thickness 1/16" – 1/2". Requires 3/4" mounting hole.

Industry-standard Double D hole can be used in metal applications.

**Operation** – 90 degree cam rotation. Counter clockwise to lock.

**Keying** – Order lock plugs separately.

**Packaging Contents** – Cylinder supplied with one straight cam, two bent cams, flange nut, hex nut and spur washer. Cam plates are zinc plated.




### LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White


## FLIPPER/TAMBOUR DOOR LOCK CB 181 & CB 191




CB-181  
3/4" MATERIAL  
CB-181-1  
1" MATERIAL  
HORIZONTAL MOUNT





CB-191  
3/4" MATERIAL  
CB-191-1  
1" MATERIAL  
VERTICAL MOUNT



- REQUIRES 16.5 MM DIAMETER HOLE



# PUSH LOCK TYPE 175




- LOCKS SLIDING DOORS
- REQUIRES 3/4" DIAMETER HOLE




**BZ-110  
FINISH CUP**

- OPTIONAL FINISH CUP FOR BACK DOOR
- REQUIRES 1/2" HOLE
- NICKEL FINISH



**LOCK PLUGS**  
 LP-100 Nickel  
 LP-200 Old English  
 LP-300 Black  
 LP-400 Statuary Bronze  
 LP-500 Brass  
 LP-700 Satin Nickel  
 LP-800 White




# THICK PANEL LOCK TYPE 170




MOUNTING FLANGE ADJUSTS TO ALLOW LOCK TO BE MOUNTED IN PANELS FROM 7/8" THICK UP TO 1 3/8" THICK

**CB-170  
TYPE 170  
CYLINDER BODY**

- REQUIRES 16.5 MM DIAMETER HOLE
- 90° ROTATION ONLY
- COUNTER CLOCKWISE



THE 'THICK PANEL LOCK' COMES PACKAGED WITH 2 DIFFERENT CAMS WHICH CAN BE ASSEMBLED TO THE LOCK IN ANY OF THE 3 ORIENTATIONS ILLUSTRATED TO THE RIGHT. THIS OFFERS SUFFICIENT FLEXIBILITY TO ADAPT TO MOST LOCKING SITUATIONS.



# DOUBLE DOOR LATCH

 Watch the Double Door Latch video at [comp.com/ddl](http://comp.com/ddl)

Patented.



EASY TO INSTALL AND CAN WORK WITH ANY STYLE OF CABINET LOCK

NOTE: DEPENDING ON SIZE OF CABINET, TWO LATCHES (ONE AT TOP AND ONE AT BOTTOM) MIGHT BE REQUIRED


Lock Placement	Top Mount Kit	Bottom Mount Kit
Lock on Right Door	<b>DL-200</b> Black Finish	<b>DL-300</b> Black Finish
	<b>DL-200-W</b> White Finish	<b>DL-300-W</b> White Finish
Lock on Left Door	<b>DL-300</b> Black Finish	<b>DL-200</b> Black Finish
	<b>DL-300-W</b> White Finish	<b>DL-200-W</b> White Finish

**Application** – Allows two or three point locking for standard or wardrobe double door cabinets.

**Operation** – Secures doors with deadbolt or cam locks. Either door can be closed at anytime.


**Finish** – Black (shown) or White.

**Packaging** – Kits include parts below and mounting instructions.



CATCH ON THE SECOND DOOR ACTS AS A SLAM LATCH AND DOES NOT REQUIRE REACHING INTO THE CABINET TO RELEASE

SIGNIFICANT ENGAGEMENT BETWEEN THE CATCH AND LATCH INCREASES SECURITY



# SYSTEM 260 WARDROBE LOCK

CB-260  
3/4" MATERIAL


CB-260-1  
1" MATERIAL

VERTICAL  
MOUNT

FOR  
HORIZONTAL  
MOUNTING USE  
CB-265 TYPE 265  
CYLINDER BODY



- FULL 1/2" WARDROBE BAR THROW  
- 16.5 MM LOCK HOLE ONLY MACHINING REQUIRED



## LOCK PLUGS

- LP-100 Nickel
- LP-200 Old English
- LP-300 Black
- LP-400 Statuary Bronze
- LP-500 Brass
- LP-700 Satin Nickel
- LP-800 White



# GLASS DOOR LOCK BORE THROUGH STYLE

- FOR SWING STYLE DOORS
- MOUNTS IN GLASS DOORS UP TO 3/8" THICK

TYPE 300 SERIES  
HORIZONTAL MOUNT

TYPE 310 SERIES  
VERTICAL MOUNT



# GLASS DOOR LOCK COMPRESSION MOUNT STYLE


- NON-BORE GLASS DOOR LOCKS
- FULLY CUSHIONED TO AVOID GLASS DAMAGE
- MOUNTS ON GLASS DOORS 1/4" TO 5/16" THICK

TYPE 350 SERIES  
HORIZONTAL MOUNT

TYPE 360 SERIES  
VERTICAL MOUNT








**CAM MUST ROTATE COUNTER-CLOCKWISE TO LOCK**



## LOCK PLUGS

- LP-100 Nickel
- LP-500 Brass
- LP-700 Satin Nickel

LOCK SLIPS ONTO EDGE OF GLASS DOOR AT ANY LOCATION  
NO BORING REQUIRED



### HORIZONTAL MOUNT



PART NUMBER	FINISH
CB-301	NICKEL
CB-305	BRASS
CB-307	SATIN NICKEL

### VERTICAL MOUNT

PART NUMBER	FINISH
CB-311	NICKEL
CB-315	BRASS
CB-317	SATIN NICKEL



### HORIZONTAL MOUNT

PART NUMBER	FINISH
CB-351	NICKEL
CB-355	BRASS
CB-357	SATIN NICKEL



### VERTICAL MOUNT


PART NUMBER	FINISH
CB-361	NICKEL
CB-365	BRASS
CB-367	SATIN NICKEL



# GLASS DOOR LOCK DOUBLE DOOR STYLE



## TYPE 370 SERIES VERTICAL COMPRESSION MOUNT



PART NUMBER	FINISH
CB-371	NICKEL
CB-375	BRASS
CB-377	SATIN NICKEL


SET SCREW TIGHTENS LOCK TO GLASS DOOR

# SLIDING GLASS DOOR LOCK

- For glass 1/4" and thinner
- TA series master keyed
- Key codes 100TA - 129TA, others available upon request
- Finish bright nickel

Plastisol coating and felt pad eliminate rattling on glass doors

**NEW!**



L1-330

LOCK PLUG NOT REMOVABLE

# ACCESSORIES

ALLOWS CYLINDER BODIES TO BE USED WITH 3/4" THROUGH 7/8" DIAMETER HOLES AND PERMITS USE OF LOCKS IN 7/8" THICK PANELS



- BZ-100 - Bezel Nickel
- BZ-200 - Bezel Old English
- BZ-300 - Bezel Black
- BZ-400 - Bezel Statuary Bronze
- BZ-500 - Bezel Brass
- BZ-700 - Bezel Satin Nickel
- BZ-800 - Bezel White



**NEW!**


LP-TK-03 THUMB KNOB

- FOR USE WITH ALL COMPX TIMBERLINE CYLINDER BODIES
- WORKS AS A GENERAL THUMB LATCH WHEN KEYED LOCK PLUGS ARE NOT REQUIRED, AS A SHIPPING PLUG OR AS AN INSERT FOR TESTING LOCKS DURING MANUFACTURING



KY-500 CHANGE TOOL

REQUIRED TO REMOVE LOCK PLUGS IN CYLINDER BODIES



DB-165  
16.5MM DRILL BIT

DRILLS THE PROPER DIAMETER HOLE FOR MOST CYLINDER BODIES



CC-100  
CYLINDER FINISH CAP

COVERS CYLINDER BODY DURING FINISHING BEFORE LOCK PLUGS ARE INSTALLED




SP-300  
SPACER FOR 5/8" PANEL

ALLOWS CAM LOCK CYLINDER BODIES FOR 3/4" MATERIAL TO BE USED IN 5/8" THICK PANELS



# STRIKE PLATES

SP-500




SCREWS TO CASE SIDE.  
USE WHEN NO STRINGER AVAILABLE.

**Need a strike plate  
for another lock?**


*CompX Timberline strike  
plates can be used for any  
CompX brand!*

## STRIKE PLATES – NICKEL


SP-185-1




SP-181-1




SP-100-1





SP-250-1




SP-251-1




SP-101-1




SP-255-1



SP-256-1




SP-257-1




SP-258-1

## STRIKE PLATES – BLACK


SP-185-3




SP-181-3




SP-100-3





SP-250-3




SP-251-3




SP-101-3




SP-255-3



SP-256-3



SP-257-3



SP-258-3



# StealthLock))) - Keyless, Invisible Electronic Cabinet Lock

stealthlock.com

StealthLock works via radio frequency which allows wireless locking of multiple cabinet openings.


The **Transmitter Pad** broadcasts the code entered to lock or unlock the cabinet door or drawer.



The Transmitter Pad can mount anywhere within 15 feet of the Receiver Latch without wires.

StealthLock is recommended for use on cabinets made from:

- Wood and wood products
- Phenolic Resin
- Glass



The **Strike Plate** is mounted on the door or drawer to be locked and interfaces with the Receiver Latch.



The **Receiver Latch** mounts inside the cabinet, hidden from view and receives lock or unlock instruction from the Transmitter Pad.



## COMPONENTS

### TP-100 – Transmitter Pad

- Operates with CR2032 coin battery, included
- Low battery indicator

Available in two versions:


**Standard** – Use for most residential and general commercial applications



**Dedicated** – Use part number TP-150, special factory order, unique Transmitter Pad ID mates a Transmitter Pad to specific Receiver Latches. Ideal for lockers or users within close proximity of each other.

### RL-100 – Receiver Latch

- Programmable using Transmitter Pad
- One required per door or drawer
- Mounts within 1/2" drawer suspension
- Operates with 4 AAA batteries




### SP-600 – Strike Plate

- For door and drawer use
- Fits within 1/2" drawer suspension



### TL-600 – Installation Tool

- Use to mount Receiver Latch and Strike Plate
- Included with the SL-100 and RL-110 kits



## KITS

### Standard version

#### SL-100 – StealthLock Kit

- Contains all parts necessary to lock one door or drawer
- Kit includes:
  - ♦ RL-100 – Receiver Latch
  - ♦ TP-100 – Transmitter Pad
  - ♦ SP-600 – Strike Plate
  - ♦ TL-600 – Installation Tool
  - ♦ required mounting screws

#### RL-110 – Receiver Latch Kit

- Contains all parts necessary to lock additional doors or drawers operated by existing Transmitter Pad
- Kit includes:
  - ♦ RL-100 – Receiver Latch
  - ♦ SP-600 – Strike Plate
  - ♦ TL-600 – Installation Tool
  - ♦ required mounting screws

### Dedicated version

#### SL-150 Dedicated Preprogrammed Kits

For medium to large projects

Transmitter pads and receiver latches can be programmed at the factory to a customer-provided schedule. They are then ready for installation. If needed, StealthLock's modes (passage, self-locking and single use) can be reprogrammed after installation.

To download the *SL-150 Preprogrammed Kit: How to Order* sheet, go to **stealthlock.com** or contact us for more information.


# StealthLock))) - Keyless, Invisible Electronic Cabinet Lock

## ACCESSORIES

stealthlock.com

**MP-700 Satin Nickel (shown)**  
**MP-300 Black**  
**Mounting Plates**

- Mounting screws and template included



Mounting screws fit material 5/8" - 7/8" thick



**MP-700-WM Satin Nickel (shown)**  
**MP-300-WM Black**  
**Wall-Mounting Plates**

Allows mounting plate to be affixed to wall or other surfaces where rear access is unavailable.

## AUXILIARY POWER SYSTEM

**RL-AP1 - Power Supply**

- Connects Receiver Latch to 120 VAC power
- Includes 5-1/2 foot cord



**RL-APC-9VJ-10 - Power Cord - 9V Jump**

- Provides emergency power to Receiver Latch using a 9 volt battery
- 10 foot cord length




**RL-APC - Power Cord**

- Use to daisy chain Receiver Latches

Available lengths

- RL-APC-3 Power Cord - 3 ft.
- RL-APC-5 Power Cord - 5 ft.
- RL-APC-10 Power Cord - 10 ft.



**RL-AP1 and RL-APC-9VJ-10 can power up to 10 Receiver Latches using the RL-APC Power Cords.**


Visit [stealthlock.com](http://stealthlock.com) for programming and installation videos, frequently asked questions and more.




# FILE FRAME SYSTEMS

## DESK FILE DRAWERS

FILE DRAWER



## WIDE FILE DRAWER




## LATERAL FILE DRAWERS


LATERAL FILE DRAWER



## LATERAL FILE DRAWER WITH SIDE TO SIDE FILING



## DEEP FILE DRAWERS




## PLAIN DRAWER SYSTEMS





## METAL DRAWER SYSTEMS

LETTER WIDTH FILES



LEGAL WIDTH FILES



FILING ACCOMMODATIONS BASED ON TYPICAL DRAWER SIZE - ACTUAL FILING CAPABILITIES WILL VARY



# FILE FRAME CUT TO SIZE KITS

Available in black or white finish!

**Step 1: Determine kit needed**

**letter kit**

INSIDE WIDTH BETWEEN 12" AND 15"

- Front and back rail; FF-1FL-13.153; 2 per kit
- Cut to size bracket; FF-R25; 2 per kit
- Cut to size cross rail; FF-SKA-25.000; 2 per kit
- Side-to-side rail; FF-LET; 1 per kit

**legal kit**

INSIDE WIDTH GREATER THAN 15"

- Front and back rail; FF-1FL-16.153; 2 per kit
- Cut to size bracket; FF-R25; 2 per kit
- Cut to size cross rail; FF-SKA-25.000; 2 per kit
- Side-to-side rail; FF-LEG; 1 per kit

**Step 2: Attach fixed rail**

TOP OF RAIL SHOULD BE 9.5" MINIMUM ABOVE BOTTOM OF DRAWER


**Step 3: Size, cut & install rails**

CUT TO SIZE BRACKET AT REAR

**Step 4: Install side-to-side rail**

PRE-POSITIONED HOLES IN FRONT-TO-BACK RAILS

ALLOW FOR LETTER OR LEGAL SIDE-TO-SIDE FILING




File Frame part numbers		
Finish color	Drawer width: Letter	Drawer width: Legal
Black	FF-SK2	FF-SK3
White	FF-SK2-W	FF-SK3-W

**KITS CONTAIN ALL COMPONENTS NEEDED TO FILE FRONT-TO-BACK OR SIDE-TO-SIDE IN PROPERLY SIZED DRAWERS. FILE FRAME KITS CAN BE USED IN EITHER FULL WOOD DRAWERS OR METAL DRAWER BOX SYSTEMS.**



# FILE FRAME SYSTEM ADVANTAGES



Typical file frame corner

## Great Appearance... Functional Design


- Attractive, black or white material
- Files slide smoothly
  - Will not slide out of position when using files
  - Will not pull out when removing files
- Easy to adjust between filing configurations
  - Rails snap in and out of position without tools



Proven durable during load testing

## Proven Design and Durability

- Easily supports twice the fully loaded weight of paper
- Weight is supported by the top of the drawer, not screws
- Withstands 50,000 back and forth cycles without paint wear or other degradation



Fits easily into place and slides smoothly to desired lock-in filing configuration

## Cost Effective, Easy to Install, and Reliability of Supply


- Easy to install using only screws
- No machining required
- No need to tape frame system in place during shipping
- Easy to purchase directly from manufacturer
- One week typical lead time



File frame generally ships within one week


# FILE FRAME FACTS

## LETTER FILES




FILE FRAME SYSTEM CAN PROVIDE PERFECT LETTER FILING WITHIN THESE DIMENSIONS

## LEGAL FILES



FILE FRAME SYSTEM CAN PROVIDE PERFECT LEGAL FILING WITHIN THESE DIMENSIONS



# CompX<sup>®</sup>

---

## TIMBERLINE

715 Center Street  
Grayslake, IL 60030  
1-800-LOCKBAR  
PH: 1-847-752-2600 FAX: 1-847-752-2420  
email: [timberlineorders@compX.com](mailto:timberlineorders@compX.com)  
[compX.com](http://compX.com)

# CompX<sup>®</sup>

---

## SECURITY PRODUCTS



The products contained in this catalog are protected by the following patents:  
1,331,036; 6,109,708; 6,550,874; 7,665,812; 8,516,864; 9,388,613.

© 2016 CompX Timberline

Catalog #0816